# Getac

## S510 ACCESSORY SPEC BROCHURE



#### GETAC TECHNOLOGY CORPORATION

Via Paracelso 26, Centro Direzionale Colleoni, Palazzo Cassiopea 3 20864 Agrate Brianza (MB) Tel: +39 039 8901584 Sales-getac-Italy@getac.com | www.getac.com/it/

## **CARRY BAG**

### **Features & Benefits**

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

#### **Product Information**

Dimensions: L 405 x W 330 x D 100mm

Weight: 1.335kg

Main Material : Nylon, air mesh fabric

#### SKU ID

GMBCX7



## 120W DC-DC VEHICLE ADAPTER

### **Features & Benefits**

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

#### **Product Information**

Input Voltage: 11VDC~ 32VDC Output Voltage: 19VDC Output current: 6.32A Max.

Case Dimensions: L 131.5 x W 65.6 x H 30mm

Weight: 362g

Input cable length : 1900mm Output cable length : 1000mm

#### **SKU ID**

GAD2X4 (Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)





## 65W AC ADAPTER WITH POWER CORD

### **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

#### **Product Information**

Input: 100V-240V, 50~60Hz, 1.5A

Output: 19V, 3.42A, 65W

Dimensions: L 108.3 x W 46.3 x H 30mm

Weight: 250g

Input cable length: 1830mm Output cable length: 1500mm

#### **SKU ID**

GAA6E5 (EU Power Cord) GAA6U5 (US Power Cord) GAA6K5 (UK Power Cord) GAA6A5 (AU Power Cord) GAA6C5 (CHN Power Cord) GAA6T5 (TW Power Cord) GAA6G5 (ARG Power Cord) GAA6I5 (IN Power Cord) GAA6J5 (JP Power Cord) GAA6R5 (KR Power Cord)



## 90W AC ADAPTER

### **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

#### **Product Information**

Input: 100V-240V

Output: 19V, 4.74 A, 90W

Dimensions: L 140.1 x W 65.1 x H 25.4 mm

Weight: 275 g

Input cable length: 1830mm Output cable length: 1500mm

#### **SKU ID**

GAA9U6 (US Power Cord) GAA9E6 (EU Power Cord) GAA9K6 (UK Power Cord) GAA9C6 (CHN Power Cord) GAA9A6 (AU Power Cord) GAA9T6 (TW Power Cord) GAA9I6 (IN Power Cord) GAA9G6 (ARG Power Cord) GAA9J6 (JPN Power Cord) GAA9R6 (KR Power Cord)



## **GETAC DS100 USB-C DOCKING STATION**

### **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure. (The docking station's performance, including transfer speeds and display capabilities, may be limited by chipset and operating system when used with Getac Android systems. See the user manual for details.)

#### **Product Information**

Dimensions: L 207 x W 90 x H 31mm (8.15" x 3.54" x 1.22")

Weight: 335g (0.74lbs)

Power Cable Length: 1.8m (5.9ft)

USB-C Upstream Cable Length: 1m (3.28ft)

I/O Ports: DC in Jack x 1, Audio in/out combo x 1, USB 2.0 x 2, USB 3.2 Gen 1 Type-A x 3, USB 3.2 Gen 2 Type-C x 2, LAN x 1, HDMI 2.0 x 1,

Display port x 2

#### **SKU ID**

GDDSE1 (EU Power Cord)

GDDSU1 (US Power Cord)

GDDSK1 (UK Power Cord)

GDDSA1 (AU Power Cord)

GDDSC1 (CHN Power Cord)

GDDST1 (TW Power Cord)

GDDSI1 (IN Power Cord)





## MULTIMEDIA BAY 2ND STORAGE WITH CANISTER

### **Features & Benefits**

Getac S510 second storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.


#### **Product Information**

Capacity : SATA 512GB/1TB Dimension : 120 x 135.5 x 14mm

Weight: 80g

#### **SKU ID**

GSR3X7 (512GB SATA SSD) GSR0X6 (1TB SATA SSD)



# **SCREEN PROTECTION FILM (AG)**

### **Features & Benefits**

This screen protection film is cut precisely to fit the S510 laptop and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

#### **Product Information**

Dimensions: L 344.2 x W 193.6 x D 0.13mm

Main Material: PET

#### **SKU ID**

GMPFXW
\* MOQ: 10pcs



## **STANDARD BATTERY 6900MAH**

### **Features & Benefits**

The hot-swappable battery can support full-shift computing with no downtime. It is a great solution for mobile professionals who require long battery life for all-day operation.

#### **Product Information**

Battery Type : Lithium-ion Polymer


Voltage: 10.8V

Capacity : Typical 6900mAh ; Min. 6600mAh Dimensions : L 143 x W 74 x H 20.5mm

Weight: 328.8g

#### SKU ID

GBM6X9



## **DVD SUPER MULTI DRIVE**

### **Features & Benefits**

The DVD Super Multi Drive is an optical disk drive that can read and write for different kinds of optical disks. It allows the user to access a variety of different media formats. Besides, It is a user-removable module that can be installed without tools.

#### **Product Information**

Dimension : L 138.5 x W 135.5 x H 14mm

Weight: 170.5g

#### **SKU ID**

GSROXC



## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

### **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

#### **Product Information**

AC Input : 100V~240V AC, 4.2A 50~60Hz DC Output : 19.5V, 16.9A \* w/ 330W AC Adapter

Number of charge bays: 8 bays

Dimensions: L 465 x W 245 x H 95.3~111.3mm

Weight: 4.7kg

#### **SKU ID**

GCECEQ (EU Power Cord)
GCECUQ (US Power Cord)
GCECKQ (UK Power Cord)
GCECAQ (AU Power Cord)
GCECCQ (CHN Power Cord)
GCECTQ (TW Power Cord)



## **SPARE MAIN STORAGE**

### **Features & Benefits**

Getac S510 Spare Main Storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Capacity: PCle NVMe 256GB/512GB/1TB/2TB

Dimension : 100 x 29 x 10.2mm

Weight: 24.5g

#### SKU ID

GSSEXB (256GB PCIe NVMe SSD) GSSFXC (512GB PCIe NVMe SSD) GSSGXD (1TB PCIe NVMe SSD) GSSHXB (2TB PCIe NVMe SSD)



## **CAPACITIVE STYLUS & TETHER**

### **Features & Benefits**

This capacitive hard tip stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a detachable tether to keep the stylus attached to the device, so it doesn't get lost or misplaced.

#### **Product Information**

Stylus Dimensions: 110mm; Ø9mm

Tip size : 4mm ; Ø5.5mm Tether Length : 304mm

#### SKU ID

GMPSXW \* MOQ : 10pcs



## EXTERNAL DUAL BAY MAIN BATTERY CHARGER

### **Features & Benefits**

This external dual-bay main battery charger is designed to charge up to two batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there are limited space and power socket.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bay: 2 Bay

Dimensions: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

#### **SKU ID**

GCMCEP (EU Power Cord)
GCMCUP (US Power Cord)
GCMCKP (UK Power Cord)
GCMCAP (AU Power Cord)
GCMCCP (CHN Power Cord)
GCMCTP (TW Power Cord)

